



**MATERIAL SAFETY DATA SHEET**

Revision Date : 09/24/2018

**1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY**

**Identification of the substance / preparation :**

**Product Name** MSW2S, MSW4S, MSW6S, MSW8S, MSW10S ,MSW12S, MSW14S, and MSW16S,  
**Chemical Name** Crosslinked Polystyrene with Sulphonic acid functionality  
**Ionic Form** Sodium  
**Use of the substance/preparation**  
**Main use** Ion exchange / Water Purification

**Identification of the Company :**

**Company undertaking** HydroTec Systems Co., Inc. DBA  
**Identification**

**Address** MobileH2O  
145 East Main St.  
Tiskilwa, IL 61368  
**Telephone** 815-624-6644

**Supplier** MobileH2O  
**Address** 145 East Main St.  
Tiskilwa, IL 61368

**Telephone** 815-624-6644  
**Telefax**

**Emergency phone number**  
**Telephone** 815-986-4973

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

**Description** Concentration  
**Functionalised co-polymer** 40 - 60 % (Polystyrene sulfonate in the sodium form) CAS# 69011-22-9  
**Moisture content** 40- 60 % Water (H2O) CAS# 7732-18-5

**3. HAZARDS IDENTIFICATION**

**Contact with eyes** Irritating to eyes (R36)  
**Contact with skin** Mildly irritating to skin.  
**Ecological hazards** May change the pH of receiving waters in case of major spillages.



#### 4. FIRST AID MEASURES

<b>Contact with skin</b>	Remove contaminated clothing. Remove particles and wash affected area with water.
<b>Contact with eyes</b>	Immediately wash out with plenty of water and remove all particles. Seek medical attention if irritation persists.
<b>Ingestion</b>	Give 200 – 300 ml water to drink. Never give anything by mouth to an unconscious person. Seek immediate medical attention.
<b>Inhalation</b>	Remove patient to fresh air. Seek medical advice.

#### 5. FIRE- FIGHTING MEASURES

Incase of fire, use foam, carbon dioxide or dry agent.  
Substance evolves toxic fumes, wear self-contained breathing apparatus (see Section 10).  
Wear full protective clothing including chemical protection suit.  
Prevent run off water from entering drains if possible.  
If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Keep people away. Floor may be slippery, take care to avoid falls.
<b>Environmental precautions</b>	Do not allow to enter public sewers and water courses.
<b>Clean up actions</b>	Sweep-up and transfer to plastic containers for recovery or disposal, according to advise in section 13.

#### 7. HANDLING AND STORAGE

<b>Handling</b>	The usual precautions for handling chemicals should be observed.
<b>Storage</b>	Risk of static discharge from dry beads. Under normal conditions the material is moist see section 2 for standard conditions. Store in and keep in moist conditions as that is the material's standard condition.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Exposure controls</b>	No special precautions are required for this product.
<b>Occupational exposure controls</b>	Not required for normal operation.
<b>Respiratory protection</b>	
<b>Hand protection</b>	Wear suitable gloves.
<b>Eye protection</b>	Wear safety glasses or goggles. An eyewash facility should be available.

**Skin protection**

Wear chemical protective overalls.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**General information**

**Appearance**

Golden, yellow to brown, black or green coloured spherical beads

**Physical state**

Solid

**Odour**

No odour

**Important information for human health, safety and environment**

**pH as supplied**

Neutral in aqueous slurry

**Boiling point**

Not applicable

**Flammability point**

The preparation starts burning over 230° C only if ignited.

**Flammability**

The preparation is not flammable before the evaporation of moistening water

**Explosive properties**

None

**Burning properties**

None

**Specific gravity**

1.2, approximately

**Solubility**

In water : virtually insoluble

In oil : insoluble

**Partition coefficient n-octanol/water**

Not applicable

**Viscosity**

Not applicable

**Flash point**

Not applicable

**Melting point**

Not applicable

**Auto-ignition temperature**

Over 500° C

**10. STABILITY AND REACTIVITY**

**Conditions to avoid**

This material is considered stable under normal conditions.

**Materials to avoid**

Incompatible with strong oxidizing agents.  
Contact with strong oxidizers, especially nitric acid, may produce low molecular weight organics that may form explosive mixtures.

**Hazardous decomposition products**

Combustion products may include monomers, residual organics, carbon and sulphur oxides.

**11. TOXICOLOGICAL INFORMATION**

**Toxicological Information**

LD 50 (Oral, Rat) : Not applicable

LD 50 (dermal, rabbit) : Not applicable

LC50 (inhalation, rat) : Not applicable

Irritation to eyes (rabbit) : Slightly Irritating

Skin corrosion / irritation (rabbit) : No data available

<b>Carcinogenicity</b>	Ignition : No hazards anticipated if material has not exchanged hazardous substances.
<b>Teratogenicity</b>	No evidence of carcinogenic effects.
<b>Mutagenicity</b>	No evidence of teratogenic effects.
<b>Mutagenicity</b>	No evidence of mutagenic effects.
<b>12. ECOLOGICAL INFORMATION</b>	
<b>Ecotoxicity</b>	Information not available.
<b>Mobility</b>	Virtually insoluble in water. The product is not volatile.
<b>Persistence and biodegradability</b>	The product is not readily biodegradable
<b>Risk of bioaccumulation</b>	None
<b>Other adverse effects</b>	May change the pH of receiving waters in case of major spillages.
<b>13 DISPOSAL CONSIDERATIONS</b>	The product as delivered is a non-hazardous waste.
	The used product may be subject to different classifications. In any case the product shall be disposed off, according to local, regional and national regulations.
	EU number for exhausted or saturated ion exchange resins used for the preparation of drinking water or water for industrial use is 19 09 05.
	EU number for exhausted or saturated ion exchange resins used in waste water treatment plants not otherwise specialized is 19 08 06.
<b>14. TRANSPORT INFORMATION</b>	Ion exchange resins as supplied are not classified as hazardous for transport.
	Classification for ROAD and RAIL transport: Not regulated (Not dangerous for transport)
	Classification for SEA transport: Not regulated (Not dangerous for transport)
	Classification for AIR transport: Not regulated (Not dangerous for transport)
<b>15. REGULATORY INFORMATION</b>	The product as supplied is non hazardous.
<b>Risk phrases</b>	R 36 : Irritating to eyes. S 26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 39 : Wear eye/face protection



## 16. OTHER INFORMATION

**Note :**

These material have been certified under NSF/ANSI 61 for the use in USFDA drinking water treatment applications. However, they are not tested or certified under FDA or USDA.

Every effort has been made to be as accurate, in the creation of this document, as possible, HydroTec Systems Co. Inc DBA as MobileH2O provides no warranty with respect to this information and disclaims all liability associated with its use.